



DANIEL EQUINE

NECK/BACK INJECTION AFTERCARE

These serve as general guidelines following back injections. Please contact Dr. Daniel if you have questions following the treatment.

Patient follow up is key to establishing if a treatment is effective. Please schedule a recheck 3 weeks after the injection to assess the response to treatment.

1. Your horses' exercise will be restricted following a joint injection to allow time for the medication to work and to limit swelling or discomfort secondary to the injection:

EXERCISE

- a. 24 hours of stall rest
 - b. 3 days turnout and hand walking
 - c. 7 days lunging with a Pessoa if available
 - d. Return to normal ridden exercise at after this
 - e. Recheck 3 weeks post treatment
2. For the first 2 weeks following the injection it is important you monitor your horse closely to detect any complications. If you notice lameness that is deteriorating, progressive joint swelling, edema formation, detect pain when palpating near the injection site or notice any other changes in attitude/appetite/urine output/fecal output or if you have any concerns, please contact Dr. Daniel.
 3. Take your horses' temperature at least once daily. Call if your horses' temperature is near or above 102°F degrees or if you have any questions.

4. Recheck exam: _____

5. Medications to be given are as follows:

Give _____ of _____ _____time(s) daily for _____days

Give _____ of _____ _____time(s) daily for _____days

Give _____ of _____ _____time(s) daily for _____days

DANIEL EQUINE SERVICES

drdanielequine@gmail.com

www.danielequine.com